CECOIS, TILE ADHESIVE FOR PLACING TILES, CERAMIC TILES AND CERAMICS



Description

Cement-based adhesive that mixed with water just in the moment of the application is used for placing ceramic tiles, ceramics, tiles, etc. It can used indoors and outdoors. The prices according the volume of the order and delivery time. C1 type as UNE-EN 12004.

Aplication

Cecois can be used in laying tiles, platelets, ceramic tiles, marble, etc., in kitchens, bathrooms, toilets, laboratories, hospitals, etc. Both indoors and outdoors.
To fix tiles, slates, etc. in pitched roofs.

Surface preparation

The surface on which place the adhesive must be clean, without grease or oils, compact, without spalling and slightly dampened.

Modes of application

CECOIS is mixed directly with water in the required proportion until reaching the desired consistency.
- Mix manually or using a low speed mixer (400 - 500 rpm)

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

- The proportion of the mix is 7 to 7,5 liter per bag of 25 kg of CECOIS.
CECOIS is spread onto the support using a serrated trowel, by spreading the amount proportional to the open time of the mix which is 30 minutes approximately according to temperature. (lower open time at higher temperature).
-Place the pieces by twisting them into place so as to spread the adhesive onto the whole surface.
In hot weather or for poorly absorbent surfaces, it is recommended to slightly dampen the support.
- Expansion joints can arise for those pieces found in exteriors according to the expansion of the pieces.

Clean up

Tools must be cleaned with water before the material hardens

Data sheet

Powder Density1,275 ± 0,05 g/cc

Bulk Density1,850 ± 0,05 g/cc

Curing Density1,650 ±0,05 g/cc

Water Absorption25 ± 3%

Adhesion> 0,5 N/mm2

Color(s)Grey and White

Performance

3,0 kg per sqm with 2mm.

Storage

It is recommended to store this product for 2 years in its tightly closed original packages, protected against bleakness, in a cool dry place.

Security



Indications of danger:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

Prudence advice:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see ? on this label).

P405: Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH208: EUH208:Contains . May produce an allergic reaction.

TEAIS

Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es

síguenos en: