



**PEGUIS, PEGUIS is a colourless adhesive specially designed for joining PVC pipes**



## Descripción

Colourless adhesive specially made for joining PVC pipes for industrial use. One-component product colourless based on PVC copolymers. The surface of application must be sanded in order to increase the grip. 1 minute later joining don't do any realignment.

## Aplication

Ideal as adhesive for joining PVC pipes.

## Surface preparation

The support of application must be clean, dry, compact, free of any trace of grease or releasing agent wastes.

## Modes of application

Clean thoroughly so as to eliminate any trace of grease before joining the pieces.

It is recommended to previously sand the pieces so as to improve anchoring.

Butter each surface with a thin uniform layer of glue using a small flat brush.

Do not try to readjust after one minute after joining the pieces.

No pressure should be exerted over the joined parts in a time interval of at



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:



least 5 hours.

- PEGUIS is not compatible with polystyrene.
- No Benzol content.

## Clean up

Tools are cleaned using our specific PVC solvent.

## Data sheet

Density 0,95 Kg./Lt. +/- 0,5.

Aspect Colourless liquid

## Performance

According to the application.

## Storage

It is recommended to store this product for 1 year in tightly closed original packages, in a cool dry place, protected against bleakness and under mild temperatures.

## Security



## Indications of danger:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.


H335: May cause respiratory irritation.

H351: Suspected of causing cancer .



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
Telf.: 981 602 111  
Fax.: 981 601 508  
Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:



## Prudence advice:

---

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use ? for extinction.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

## Supplementary information:

---

EUH019: May form explosive peroxides.

EUH066: Repeated exposure may cause skin dryness or cracking.