




# EMPLAIS EXTERIORES, POWDER PRODUCT USED FOR OUTDOOR PLASTERING



## Descripción

White powder product that mixed with water becomes in a plastic blend suitable for plastering cracks and scalings in walls and floors.

## Aplication

Used so as to eliminate irregularities on surfaces to be painted afterwards (in interiors and exteriors), to level rendered supports as well as to eliminate cracks and fissures.

## Surface preparation

The background of application must be clean and perfectly dry, free of grease, saltpeter and dust, being compact and firm.

## Modes of application

To be mix with water.

Apply it by trowel or spatula on thin layer.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:



Once EMPLAIS EXTERIORES is dry apply TEAIS Paint on it as decorative coating.  
Before painting on the plaster let it dry at least 50 hours since the last coat.

## Clean up

Clean with large amounts of water.

## Data sheet

Water absorption  $35 \pm 3\%$

Powder density  $0,85 \text{ g/cc.} \pm 0,05$

Mass of density  $1,900 \text{ g/cc.} \pm 0,05$

Open time  $> 45 \text{ min.}$

Water retention  $> 97\%$

Capillarity  $< 1,5\%$  at 60 min

Adherence  $> 5 \text{ kg/cm}^2$

Compressive resistance  $> 150 \text{ kg/cm}^2$

Flexural strength resistance  $> 45 \text{ kg/cm}^2$

Colour/swhite

ZZZZZZ

ZZZZZZ

ZZZZZZ

ZZZZZZ

ZZZZZZ

ZZZZZZ

## Performance

1 sqm per kg in layer of 1 mm.

## Storage



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teis.es](mailto:desarrollo@teis.es)

síguenos en:



It is recommended to store this product for 2 years in its tightly closed original packages protected against bleakness.

# Security



## Indications of danger:

H315: H315:Causes skin irritation.

H317: H317:May cause an allergic skin reaction.

H318: H318:Causes serious eye damage.

H335: H335:May cause respiratory irritation.

## Prudence advice:

P271: P271:Use only outdoors or in a well-ventilated area.

P280: P280:Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: P302+P352:EIF ON SKIN: Wash with plenty of soap and water.

P304+P340: P304+P340:IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: P310:Immediately call a POISON CENTER or doctor/physician.

P403+P233: P403+P233:Store in a well-ventilated place. Keep container tightly closed.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation

