

Descrição

White powder product that mixed with water becomes in a plastic blend suitable for plastering cracks and scalings in walls and floors.

Aplication

Used so as to eliminate irregularities on surfaces to be painted afterwards (in interiors), to level rendered supports as well as to eliminate cracks and fissures.

Surface preparation

The background of application must be clean and perfectly dry, free of grease, saltpeter and dust, being compact and firm.

Modes of application

To be mix with water.

Apply it by trowel or spatula on thin layer. The product should be applied in less than 10 minutes

Once EMPLAIS EXTERIORES is dry apply TEAIS Paint on it as decorative coating.

Before painting on the plaster let it dry at least 15 minutes since the last coat.

Clean up

Clean with large amounts of water.

Data sheet

Water absorption $40 \pm 3\%$

Powder density $0,650 \pm 0,05$ g/cc.

Mass of density $1,650 \pm 0,05$ g/cc.

Water retention $> 97\%$

Capillarity $< 1,5\%$ 60 min

Colour/swhite

Curing density $1,600 \pm 0,05$ g/cc.


Performance

1 sqm per kg in layer of 1 mm.

Storage

It is recommended to store this product for 2 years in its tightly closed original packages protected against bleakness.

Security



Indications of danger:

H315: H315: Causes skin irritation.

H317: H317: May cause an allergic skin reaction.

H318: H318:Causes serious eye damage.

H335: H335:May cause respiratory irritation.

Prudence advice:

P271: P271:Use only outdoors or in a well-ventilated area.

P280: P280:Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: P302+P352:EIF ON SKIN: Wash with plenty of soap and water.

P304+P340: P304+P340:IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: P310:Immediately call a POISON CENTER or doctor/physician.

P403+P233: P403+P233:Store in a well-ventilated place. Keep container tightly closed.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón

15143 Arteixo, A Coruña

☎ Telf.: 981 602 111

📠 Fax.: 981 601 508

✉ Email: desarrollo@teais.es

síguenos en:

