



Description

Thixotropic mortar without retraction specially designed for repairing. Suitable for the restauration of damaged surfaces by iron oxide spreading. It protect the metallic armours combined with TEAIS PROTECOR and working properly with concrete in the face side. It has a big resistance from the compression. Colour: cement grey.

Aplication

Moris Marino is suitable for coating and repair of structures subjected to aggressive environments, with the presence of sulfates, or for structures in marine environments.

Surface preparation

The application surface must be clean, free of grease, oil, loose particles or elements that may impair adhesion, and slightly moistened.

Modes of application

Clean up

Clen with th a lot of water as the material has not hardened.

Data sheet

Powder density

Powder density

Mass of density

Water absorption

Water retention

Compressive resistance

Flexural strength resistance

Performance

2 kg per sqm in 1 mm layer

Storage

Two years in original containers protected from the weather in a cool, dry place.

Security



Indications of danger:

H315: H315: Causes skin irritation.

H317: H317: May cause an allergic skin reaction.

H318: H318: Causes serious eye damage.

H335: H335: May cause respiratory irritation.

Prudence advice:

P271: P271 Use only outdoors or in a well-ventilated area.

P280: P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340: P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: P310 Immediately call a POISON CENTER or doctor/physician.

P403+P233: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501: P501 Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:

