



## Descrição

Thixotropic mortar without retraction specially designed for repairing. Suitable for the restoration of damaged surfaces by iron oxide spreading. It protect the metallic armours combined with TEAIS PROTECOR and working properly with concrete in the face side. It has a big resistance from the compression. Colour: cement grey.

## Aplication

Moris Marino is suitable for coating and repair of structures subjected to aggressive environments, with the presence of sulfates, or for structures in marine environments.

## Surface preparation

The application surface must be clean, free of grease, oil, loose particles or elements that may impair adhesion, and slightly moistened.

## Modes of application

## Clean up

Clen with th a lot of water as the material has not hardened.

# Data sheet

Powder density

Powder density

Mass of density

Water absorption

Water retention

Compressive resistance

Flexural strength resistance

## Performance

2 kg per sqm in 1 mm layer

## Storage

Two years in original containers protected from the weather in a cool, dry place.

## Security



### Indications of danger:

H315: H315:Causes skin irritation.

H317: H317:May cause an allergic skin reaction.

H318: H318:Causes serious eye damage.

H335: H335:May cause respiratory irritation.

## Prudence advice:

---

P271: P271 Use only outdoors or in a well-ventilated area.

P280: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: P310: Immediately call a POISON CENTER or doctor/physician.

P403+P233: P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: P501: Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón

15143 Arteixo, A Coruña

☎ Telf.: 981 602 111

📠 Fax.: 981 601 508

✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:

