

## MORIM, PRE-DOSED MORTAR WITH WATERPROOFING PROPERTIES



# Descrição

Pre-dosed product with waterproofing properties for making outdoor renders, brick or block fixing, etc. The product is presented such as powder and water is added for the application.

# **Aplication**

It is used in traditional renders, for setting up brick walls, concrete block walls, in basements, etc.

### **Surface preparation**

The background of application must be clean, free of dust, loose particles, grease and oil. It is recommended to previously dampen the support in summer under high temperatures.

### Modes of application

Mix MORIM with water (approximately 200 cc for every kg of MORIM).

- Mix manually or by using a low speed mixer (300 to 400 r.p.m.).
- Before the application, leave to stand for 2 to 5 minutes. Apply it using a trowel in a conventional manner getting a floated finish.

### Clean up





Email.: desarrollo@teais.es

Clean using large amounts of water.

## **Data sheet**

Water absorption 18 + - 2%

Adherence> 10 kg/cm2

Colour/sWhite and grey

Compressive resistanceAprox. 150 kg/cm2

Flexural strength resistance> 35 kg/cm2

Powder density1,40 +/- 0,05 gr/ml

Mass of density2,05 +/- 0,05 gr/ml

Curing density1,80 +/- 0,05 gr/ml

Temperature of work5 to 30°C

### **Performance**

2 kg/sqm per each mm of thickness

### **Storage**

It is recommended to store this product for 2 years in its tightly closed original packages protected against bleakness.

# Security





## **Indications of danger:**

H315: H315: Causes skin irritation.





H317: H317: May cause an allergic skin reaction.

H318: H318: Causes serious eye damage.

H335: H335:May cause respiratory irritation.

#### **Prudence advice:**

P261: P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: P280:Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: P302+P352:IF ON SKIN: Wash with plenty of soap and water.

P304+P340: P304+P340:IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: P321: Specific treatment (go to see a doctor with the Safety data sheet for this product).

P405: P405: Store locked up.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation



