LIMPIADOR S.P.POLIURETANO, POLYURETHANE FOAM CLEANER.



Description

Liquid product, colourless and volatile ideal for cleaning polyurethane foam.

Aplication

Clenaning of polyurethane foam application systems. Cleaning of polyurethane foam projected in unwanted places, stains, etc...

Surface preparation

It is no neccessary any special preparation and care.

Modes of application

With a wet cloth, brush or soaking when is wanted to clean polyurethane applying tools.
- When is wanted to clean splashes, stains, etc...a wet cloth must be used to scrub the polyurethane foam until remove it.

Clean up

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

With plenty of clear water.

Data sheet

Density1,321 Kg./Lt. +- 0,02 at 25 ºC

Color(s)Translucent

Performance

According to use.

Storage

1 year in their original packages tijghtly closed, stored in dry and cool place.

Security



Indications of danger:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ? for extinction.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking.