# LIPA, RUST CLEANER-PASIVENESS AGENT FOR SLATE.




## Description

Liquid for cleaning and turning the slate rust in protective.
Passiveness agent in black colour.

## Aplication

In slate cladding with rusted metalic pyrites due the weathering.

### Surface preparation

The surface must be free of grease and oil stains.

### Modes of application

It is applied by brush as a paint or by sprayer and sprayer gun.
- Apply abundantly with the aim that LIPA penetrates in the rust layer and then brush briskly.
- Repeat the operation as many times as necessary.
- Rinse with clean water to remove the rests of dirtiness.
- Let it dry and apply REPAIS or REPAIS ANTIVERDÍN on it as protective and waterproofing.
- Its formulation turns rust in a barrier of black colour resistant to rusting.

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

- Avoid the contact with glazzed surfaces because will become toneless.

## Clean up

With plenty of clear water.

# Data sheet

Density1,23 Kg./Lt. +- 0,05 at 20ºC.

Color(s)brownish.

## Performance

According to use.

## Storage

3 years in their original packages, tightly closed, stored in cools and dry places.

# Security



## Indications of danger:

H319: Causes serious eye irritation.

## Prudence advice:

P264: Wash ? thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.