

LIMSI, LIQUID FOR CLEANING SILICONE.



Descripción

Liquid for cleaning silicone. It removes the residues from silicon putty.

Aplication

LIMSI is suitable for cleaning pieces during works of joinery, baths, kitchens, etc... where silicone putty is used.

Surface preparation

Not necessary.

Modes of application

Appy on the stain by a dampened cloth with LIMSI. Let it act from 10 to 30 minutes. Damp again the cloth and scrub on the stain.

- Take care with the application on wood because it can damage it.
- It is always recommended to do a test in a unused area in order to check that the cleaner does not affect the support.

Clean up





Data sheet

AspectCharacteristic and colourless liquid.

Density0,700 ± 0,05 kg/Lt at 20° C

Performance

According to use.

Storage

3 years in their original packages and tightly closed, stored in dry and cool place.

Security











Indications of danger:

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer.

H361: Suspected of damaging fertility or the unborn child .

H373: May cause damage to organs through prolonged or repeated exposure.





Email.: desarrollo@teais.es

H411: Toxic to aquatic life with long lasting effects.

Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use? for extinction.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation



Email.: desarrollo@teais.es