



Descripción

Crystallizer for stone materials

Aplication

It is used as a quick crystallizing polish on alkaline based floors, marble, travertine, granite floors, etc.

Surface preparation

The background of application must be free of any contaminating agent, dust or grease, etc.

Modes of application

Wet the floor and apply the product immediately.

Apply the product using a rotative machine and steel wool

Brush until achieving the required shine, by repeating the process after the first coating dries.

Clean up

Clean using large amounts of water.

Data sheet

Density 1,04 Kg./Lt. +/- 0,05 at 20°C.

Solid content in volume 6.48%

PH

Aspect Milky liquid

Colour/s Milky white

Performance

5 sqm per litre

Storage

It is recommended to store this product for 3 years in tightly closed original packages.

Security



Indications of danger:

H302: Harmful if swallowed.

H318: Causes serious eye damage.

Prudence advice:



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:



P264: Wash ? thoroughly after handling.

P270: Do no eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:

