



LIOXIS, CONCENTRATED LIQUID FOR CLEANING AND PASSIVATION OF IRON RUST



Descripción

Concentrated liquid for cleaning and passivation of iron rust. It is applied on rusted surfaces and remove the rust passiveing the substrate, having the suitable time to protect the surface with the suitable primer.

Aplication

In the cleaning and passivation of rust on old metallic surfaces. As a anticorrosive base of primer.

Surface preparation

The surface must be free of grease and without loose particles.

Modes of application

Shake the content properly before using.

- It is applied with brush on the rusted iron. In small pieces must be applied by immersion.
- When the rust becomes dry it turns black. 4 days later it must be sended superficially.
- If is required to reduce the work time, after 24 hours of the application of LIOXIS the thick layer must be cleaned and after that one layer of OXITAIS must be applied.



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email: desarrollo@teais.es

síguenos en:



Clean up

With plenty of water.

Data sheet

Density 1,55 KG/LT

Colour/s Translucent

Performance

From 5 to 7 sqm/litre.

Storage

3 years in their original packages, tightly closed and stored in cool and dry place.

Security



Indications of danger:

H290: H290: May be corrosive to metals.

H315: H315: Causes skin irritation.

H319: H319: Causes serious eye irritation.

H335: H335: May cause respiratory irritation.

Prudence advice:



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teis.es

síguenos en:



P234: P234:Keep only in original container.

P271: P271:Use only outdoors or in a well-ventilated area.

P280: P280:Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: P302+P352:IF ON SKIN: Wash with plenty of soap and water.

P304+P340: P304+P340:IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233: P403+P233:Store in a well-ventilated place. Keep container tightly closed.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:

