



## Descripción

PROTICER is a protector for ceramic floors. Applies before grouting and avoids stains on the ceramic and remains as a ceramic protector.

## Aplication

Porticer is applied to facilitate the cleaning of the tiles after grouting. The product remains as a protection on the tiles, giving a satin look.

## Surface preparation

The surface of application of the tiles must be clean and dry, free of dust or loose particles.

## Modes of application

- Shake to homogenize well the contents of the package.
- PROTICER is applied using a paint brush, gun or spray in the recommended coverage of 4-5 m<sup>2</sup>/l approximately.
  - The surface of application must be clean and dry.
- In case of more absorbent areas than others, repeat the application , to obtain a homogeneous surface.

- Apply before grouting and leave to dry completely. Apply without diluting.
- While the grouting is done, the surface is cleaned and finally the cleaning of the entire surface is finished.

## Clean up

The tools used will be cleaned with Disoluais N.

## Data sheet

Density 1,0 Kg/L.  $\pm$  0,03 at 20°C.

Solid content in volume > 15%

Colour/transparent

Totally dry 12 hours

Temperature of work 5 to 30°C

## Performance

4-5 m<sup>2</sup> per l.

## Storage

Two years in its original containers protected from the elements, without sudden changes of temperature.

## Security



## Indications of danger:

H225: H225: Highly flammable liquid and vapour.

H304: H304: May be fatal if swallowed and enters airways.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teis.es](mailto:desarrollo@teis.es)

síguenos en:



H315: H315:Causes skin irritation.

H318: H318:Causes serious eye damage.

H336: H336:May cause drowsiness or dizziness.

H361d: H361d:Suspected of damaging the unborn child.

H372: H372:Causes damage to organs through prolonged or repeated exposure.

H411: H411:Toxic to aquatic life with long lasting effects.

## Prudence advice:

---

P210: P210:Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: P280:Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: P303+P361+P353:IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: P304+P340:IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: P308+P313:IF exposed or concerned: Get medical advice/attention.

P370+P378: P370+P378:In case of fire: Use Use ABC powder extinguisher for extinction.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation

## Supplementary information:

---

EUH066: EUH066:Repeated exposure may cause skin dryness or cracking.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:

