



Descripción

PROTICER is a protector for ceramic floors. Applies before grouting and avoids stains on the ceramic and remains as a ceramic protector.

Aplication

Porticer is applied to facilitate the cleaning of the tiles after grouting. The product remains as a protection on the tiles, giving a satin look.

Surface preparation

The surface of application of the tiles must be clean and dry, free of dust or loose particles.

Modes of application

- Shake to homogenize well the contents of the package.
- PROTICER is applied using a paint brush, gun or spray in the recommended coverage of 4-5 m²/l approximately.
 - The surface of application must be clean and dry.
- In case of more absorbent areas than others, repeat the application , to obtain a homogeneous surface.

- Apply before grouting and leave to dry completely. Apply without diluting.
- While the grouting is done, the surface is cleaned and finally the cleaning of the entire surface is finished.

Clean up

The tools used will be cleaned with Disoluais N.

Data sheet

Density 1,0 Kg/L. \pm 0,03 at 20°C.

Solid content in volume > 15%

Colour/transparent

Totally dry 12 hours

Temperature of work 5 to 30°C

Performance

4-5 m² per l.

Storage

Two years in its original containers protected from the elements, without sudden changes of temperature.

Security



Indications of danger:

H225: H225: Highly flammable liquid and vapour.

H304: H304: May be fatal if swallowed and enters airways.



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email: desarrollo@teis.es

síguenos en:



H315: H315:Causes skin irritation.

H318: H318:Causes serious eye damage.

H336: H336:May cause drowsiness or dizziness.

H361d: H361d:Suspected of damaging the unborn child.

H372: H372:Causes damage to organs through prolonged or repeated exposure.

H411: H411:Toxic to aquatic life with long lasting effects.

Prudence advice:

P210: P210:Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: P280:Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: P303+P361+P353:IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: P304+P340:IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: P308+P313:IF exposed or concerned: Get medical advice/attention.

P370+P378: P370+P378:In case of fire: Use Use ABC powder extinguisher for extinction.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH066: EUH066:Repeated exposure may cause skin dryness or cracking.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:

