



REPAIS HIDROCONSOLIDANTE, Hardener and water-repellent for stone.



Descrição

Waterproof agent with hardener effect that is applied on stone supports which disaggregates easily. The application of REPAIS HIDROCONSOLIDADNTE provides hardener effects and water-repellence in just one application decreasing waiting-time and with high performance.

Aplication

It is a double treatment. It has consolidating effects and water-repellent as well becaus is very suitable to apply it to mineral supports and stones which require to harden and water-repellence.

Surface preparation

The support must be clean, dry, free of dust or loose particles.

Modes of application

- Shake the content of the package.
- Apply by brush, roller or sprayer.
- A previous test on the support must be done in order to check that there aren't alterations.
- Apply one layer from up to bottom.

Clean up



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:



The tools must be cleaned with solvent while the product is wet.

Data sheet

Colour/sColourless

Density0,88 kg/lit

CompositionSilasnes, siloxanes,

Performance

5 sqm/litre according absorption

Storage

3 years in their original packages tightly closed, protected from the weather and stored in cool and dry places.

Security



Indications of danger:

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H319: Causes serious eye irritation.


H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure .



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teis.es

síguenos en:



Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ? for extinction.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:

