# DISOLUAIS Normal, SOLVENT FOR SYNTHETIC RESIN AND CHLORORUBBER BASED VARNISHES AND PAINTS




## Description

Lacquer thinner and paints based on synthetic resins

## Aplication

To dilute chlororubber and synthetic systems and apply the pistol.

### Surface preparation

Not applicable.

### Modes of application

It is not recommended to repaint quickly after using the product. When applied on slow-setting synthetic systems, they can be repainted when using DISOLUAIS N solvent, by ensuring that application onto the support has been done at least one week ago. If this is not the case, the support may form a

Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es

síguenos en:

corrugated film.
It is recommended to test a sample previously or use DISOLUAIS B even though it has a slower effect.

## Clean up

Not applicable.

# Data sheet

Chloride Ion ContentHighly flammable product

## Performance

According use.

## Storage

3 years in their original containers, tightly closed, dry and cool place.

# Security



## Indications of danger:

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

H361: Suspected of damaging fertility or the unborn child .

H373: May cause damage to organs through prolonged or repeated exposure .

H373: May cause damage to organs through prolonged or repeated exposure .

H411: Toxic to aquatic life with long lasting effects.

## Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use ? for extinction.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

## Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking.