



LACURIS D, CURING LACQUER FOR MORTARS AND CONCRETES

Descripción

Transparent liquid based in sintetic resins diluted in solvents in order to act as a curated protective lining on concretes and fresh mortar.



Aplication

It's sprayed onto mortar or concrete surfaces, mainly in summer time or high temperatures to prevent premature water evaporation and allowing an appropriated setting. Very suitable for concrete highways and roads, airport runways, industrial pavements, precast elements, canals, etc.

Surface preparation

Not applicable.

Modes of application

- Homogenizing properly the product before applying.
- Applying directly on the fresh mortar or concrete by a spray pistol.
- The application must be done once the superficial water dissipate from the concrete or mortar.
- The surfaces which will be coating after must be sanded in order to disposal the remains of the product.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:



Clean up

With our solvent DISOLUAIS

Data sheet

Colour/sTransparent.

Density0,88 Kg/L. \pm 0,03 g/cm³. at 20°C

Solid content in volume> 18%

Viscosity12 \pm 2 seg. a 20°C. Layer Ford: 4mm

Performance

8 sqm per litre (minimum).

Storage

2 years, in their original packagings, properly closed and at moderated temperatures, stored in a cool and dry place.

Security



Indications of danger:

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H361: Suspected of damaging fertility or the unborn child .



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teis.es

síguenos en:



H373: May cause damage to organs through prolonged or repeated exposure .

Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
☎ Telf.: 981 602 111
📠 Fax.: 981 601 508
✉ Email: desarrollo@teais.es

síguenos en:

