

# RELAIS, ACRYLIC RENDER FINISH WITH AGGREGATE FOR INDOOR AND OUTDOOR



# Descripción

Grating paste, made of vinyl resins and graded fillers (TYPE F of 1mm and TYPE G of 2mm). It has a strong resistance to the passing of time. It is suitable for the protection of interior and exterior supports in homes, premises, etc.

## **Aplication**

Render for façades, courtyards, staiRwells, both indoors and outdoors.

## **Surface preparation**

The background of application must be clean, free of grease, oil or loose particles. Once the support is sound, IMPRIMAIS primer is applied.

## **Modes of application**

Mix it manually or mechanically using a low speed mixer (400 - 500 rpm).

- Apply our primcer IMPRILAIS by roller or brush.
- Let the primer dry completely.
- Apply with stainless steel trowel and then, once extended the product, when it starts to dry, work with a





trowel by moving it in vertically, horizontally or in circles until producing the desired travertine or circular patterns.

- The support of application must be clean, free of grease, oil or loose particles.
- Mortars must be allowed to cure for at least 28 days.
- Do not apply when rain, freezing temperatures and other bad weather conditions are expected.

## Clean up

Clean using large amounts of water.

## **Data sheet**

DensityG.F....1.9 ± 0.07 g/cm3 at 20°C  $G.G...1.87 \pm 0.05 \text{ g/cm3 at } 20^{\circ}\text{C}$ 

Colour/s

Aspectmatt textured

Viscosity48.000 ± 16.000 mPa.s

Temperature of work5 to 30 °C

Totally dry3 days at 20°C

ZZZZZZ

ZZZZZZ

ZZZZZZ

ZZZZZZ

ZZZZZZ


ZZZZZZ

## **Performance**

F (thin finish): 1,5 - 2 kg per m2 G (thick finis

## Storage





Email.: desarrollo@teais.es

It is recommended to store this product for 1 year at most in tightly closed original packages.

# Security



## **Indications of danger:**

H317: May cause an allergic skin reaction.

### **Prudence advice:**

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation





Email.: desarrollo@teais.es