METAIS G-P-B, ANTICORROSIVE PRIMER AND PAINT.



Descrição

Primer and antioxidant paint for protecting metallic surfaces applicable by brush or spray gun. Free of Zinc Chromate. Grey colour.
Solvent: DISOLUAIS.

Aplication

As primer and paint at the same time (only in indoors), on metallic surfaces made of iron or steel. On surfaces which are not made of iron or steel is necessary to do a previous treatment with IMPRIGALVI. In outdoors only is suitable to use as a primer on metallic surfaces made of iron or steel for subsequent finishing with a synthetic enamel such as ESMAIS OR ESMAR.

Surface preparation

The surface must be clean, free of dust, oils and other polluting agents which decreases the adherence on the supports and provides a perfect finish.

Modes of application

Shake and stir well the containt of the package before using.
Apply two layers by brust using DISOLUAIS as solvent in the minimum quantity required for a correct

Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es

síguenos en:

application.
Allow al least 6 hours between layers.
In indoors, its application turns in a antirust finishing.
In outdoors, protect with two layers of synthetic enamel such as ESMAIS, ESMAR the only suitable products.

Clean up

With Teais solvent DISOLUAIS while the product is wet.

Data sheet

Density1,45 Kg./Lt. +- 0,05 at 20ºC.

Volume Solids56 ± 1 %

Working temperaturefrom 5ºC to 30ºC

Touch Dry< 3 hours at 20ºC

Color(s)grey

Recoatable6 hours al 20ºC /65%

Dry Film Thickness60 microns

AppearanceMatt

Performance

7 sqm per litre.

Storage

2 years in their original packages, tightly closed, stored in dry and cool place and protected from the weather.

Security



TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

Indications of danger:

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H332: Harmful if inhaled.

H340: May cause genetic defects .

H350: May cause cancer .

H373: May cause damage to organs through prolonged or repeated exposure .

H411: Toxic to aquatic life with long lasting effects.

Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use ? for extinction.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH208: EUH208:Contains . May produce an allergic reaction.