



## Descripción

Protector of surfaces made of stone or marble both porous and matt that facilitates the subsequent disposal with cleaning products such as GRAFITAIS.

## Aplicación

It is used for protecting several supports from graffitis allowing an easier cleaning of the support with a suitable cleaning agent.

## Surface preparation

The surface must be perfectly clean, free of dust or other contaminants. It must be moistened and the moisture must be decreasing in the application time.

## Modes of application

- Homogenize well the product before applying.
- Apply on the support once it is moistened (with tendence to refer the moisture).
  - The application is done by short nap roller.
  - Apply two layers letting rest at least 1 hour between them.

- The product mustn't be applied in rain, freeze, wind forecast or any adverse weather conditions.

## Clean up

Clean the tools with a cleaning solvent while the product is wet.

## Data sheet

Density 0,83 Kg/L. (+-) 0,03 at 20°C

Colour/translucent with turbidity remaining translucent the dry layer but becoming darker the surface.

Odour Characteristic

Drying time one hour between layers at 20 °C and 65% of RH

Temperature of work From 5 to 30°C

## Performance

5 sqm/ lt according with the absorption of support

## Storage

Two years in their original packages protected from the weather and stored in a cool and dry place.

## Security



### Indications of danger:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.



## Prudence advice:

---

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use ? for extinction.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

## Supplementary information:

---

EUH208: Contains . May produce an allergic reaction.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: desarrollo@teais.es

síguenos en:

