DEPIS ANTIMOHO LISA, INDOOR AND OUTDOOR PLASTIC PAINT



Description

Plastic paint soluble on water for using only in interiors to protect against mold and moisture. White matt colour and smooth finish. Basic colours.

Aplication

It is used on walls and ceilings in interiors. Onto renders or cement based mortars, plaster, gypsum, perlite plaster, fibrocement, concrete slips, etc.

Surface preparation

The background of application must be clean, free of grease, oil, dust, lime based paints, by being perfectly compact and dry.

Modes of application

Use IMPRIMAIS SUPER or IMPRIMAIS M.U. primer (according to the type of support).
Apply with a paint brush, roller or sprayer gun.
Apply the first coating using DEPIS LISA ANTIMOHO by

Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es

síguenos en:

diluting 10 to 20% in water(according to primer).
Once the first coating is dry, apply the second one undiluted.
A satin finish is achieved with ACRILAIS TRANSLÚCIDA ANTIVERDIN, diluted to 30%..
-Resistant to alkaly, wear and interior moisture.
- Soluble in water, colour-changeable and look smooth- matt.

Clean up

With plenty of water

Data sheet

Density1,64 Kg./Liter ± 20ºC

Viscosity37.500 ± 7.500 at 20ºC

Dry Film Thickness45 microns.

Touch Dry1 Hour /20ºC/65% de R.H

Recoatable8 Hours /20ºC/65% de R.H.

Completely Dry24 Hours /20ºC/65% de R.H.

Color(s)white and other colours under order

Performance

3 sqm per kg.

Storage

It is recommended to store this product for 2 years at most in tightly closed original packages in a cool dry place.

Security

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en:

Indications of danger:

H412: Harmful to aquatic life with long lasting effects.

Prudence advice:

P273: Avoid release to the environment.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH208: Contains . May produce an allergic reaction.