



# LUMINOIS FLUORESCENTES, SYNTHETIC PAINT THAT REACTS WITH THE LIGHT (L-20)



## Description

## Aplication

In the signage of garages, underground car parks, posters indicating warnings, dangers, etc.

## Surface preparation

It must be well cleaned, degreased and perfectly dry. Indispensable to treat your background with white color.

## Modes of application

Homogenize the contents of the container before proceeding with the application.

-Apply a white background, depending on the type of surface will apply the type of background, either synthetic for metals or wood or plastic paint for walls of mortar or concrete.

-Apply by brush, roller or gun.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:



## Clean up

With our solvent DISOLUAIS

## Data sheet

Density  $0,87 \pm 0,05$  kg./Liter at 20°C

Viscosity  $80 \pm 30$  seconds. Ford Cup: 4 mm. at 20 ° C

Dry for repainting 4 Hours / 20°C

Colour/sred and green fluorescent, others on request.

Dry film thickness 40 microns.

Aspectmate.

Temperature of work 5 ° C to 30 ° C

## Performance

5 m<sup>2</sup> per l.

## Storage

1 year, in their original and tightly closed bottles, stored in a dry and cool place totally protected from the elements.

## Security



## Indications of danger:

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teis.es](mailto:desarrollo@teis.es)

síguenos en:



H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H332: Harmful if inhaled.  
H336: May cause drowsiness or dizziness.  
H350: May cause cancer .  
H362: May cause harm to breast-fed children.  
H411: Toxic to aquatic life with long lasting effects.

## Prudence advice:

---

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P370+P378: In case of fire: Use ? for extinction.  
P501: Dispose of contents/container in accordance with local/regional/national/international regulation

## Supplementary information:

---

EUH066: Repeated exposure may cause skin dryness or cracking.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teis.es](mailto:desarrollo@teis.es)

síguenos en:

