# TINTAIS, CONCENTRATE DYE FOR WATER COLOR PAINTS




## Description

Dye concentrate for all water-soluble dye paintings. Perfect and rapid incorporation into the paint. Lets be mixed together to achieve a variety of hues. Dosing .: Up to 5% of the volume to be dyed.

## Aplication

It is used to dye soluble paints in watery scattering such as plastic paints, acrylic paints, temper paints, etc.

### Surface preparation

TINTAIS does not alter the properties of the under coating of the paint. The background of application must be clean, dry and free of grease.

### Modes of application

Mix the content of each package thorouhgly before using the product.
Add and mix with the paint in a proportion below 5%(depending on the type of paint and background of application)
It is very important to make the mix uniform and even when combining different colours of TINTAIS.
-The homogenization of the pigment can be done manually or mechanically (stirring with electric mixer fitted

Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es

síguenos en:

with helical paddle 300 to 500 rpm)
Apply in the same manner as for the application of a paint used as base coat.,
-Perfect and rapid incorporation into the primer.
-Admits being mixed together (big range of colors).
His high concentration allows pastels with minimal addition of dye.
No way alters the primer (harmless).

## Clean up

With clean water, while the material is fresh.

# Data sheet

Density1,35 Kg./Liter ± 0,05 at 20ºC

Compositionhighly-thin dispersion of pigment

Viscosity40 ± 10 seg. At 20ºC.

Color(s)blue, black, ocher, red, green, salmon and brown.

## Performance

## Storage

For brown, red and green colours: 1 year; for blue, black and salmon colours: 2 years in its tightly closed packages in a cool dry place.

TEAIS
Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo,A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es
síguenos en: