



## Description

Lime stucco on paste for decorating for indoors and outdoors. For indoors must be applied as the final coat of ESTUBRIL, for outdoors must be applied ESTUPROT. The finishes appearance is smooth and shiny with marble imitation veins. It can be coloured with TINTAIS. Suitable to houses decoration, stores, offices, coffes, etc.

White and color chart available.

## Application

### Modes of application

Stiring the content of the container in order to homogenize the product properly.

-On the smooth surface based on ESTUCAL or another lime based or cement based render.

A coating smaller than a millimetre of ESTUCAL is applied with a stainless trowel.

Once dry, sand with "double zero (00)" sander.

After that another layer smaller than 1 millimetre and once flattened it will be polished with the edge of the trowel pressing hardly over ESTUCAL.

-The suitable dry between layers has to be 24 hours more or less in order to obtain a completely dry.

-In outdoors can be protected with ESTURBIL and in wet indoor or outdoor can be protected with ESTUPROT.

The supports have to be free of moisture. They can be painted in which case a sand will be done, and if the paint is firm and in good conditions, is enough with sanding and the dust elimination.

## Data sheet

### Composition

Open time  
Density  
Colour/s  
pH value  
Temperature of work

## Performance

---

1,6 m2 per sqm

## Storage

---

## Security

---

## Indications of danger:

---

H412: Harmful to aquatic life with long lasting effects.

## Prudence advice:

---

P272: Contaminated work clothing should not be allowed out of the workplace.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation


## Supplementary information:

---



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:



EUH208: EUH208:Contains . May produce an allergic reaction.



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:

