

EMPLAIS M, FILLER FOR WOOD.



Descrip

Filler for achieving superfical smoothness and eliminate cracks, hollows and fissures in wooden elements. Fast drying ans sanding. Colours: pine, sapele and walnut. It is supplied in tubes.

Aplication

For smoothing on wooden surfaces. For eliminating cracks, holes, fissures and faults in general.

Surface preparation

The surface must be clean and perfectly dry, free of dust, greases, oils and other polluting agents that decreases the adherence properties of the product.

Modes of application

Apply on the surface to treat. The product must overflows in order to achieve a perfect matching with the filled piece after sanding when it dries.

In normal conditions can be sanded after 30 minutes of applycation due its fast drying. After using, close the package immediatly to avoid the drying inside the package.

Clean up

With TEAIS solvent DINITRAIS.



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
 15143 Arteixo, A Coruña
 Telf.: 981 602 111
 Fax.: 981 601 508
 Email.: desarrollo@teais.es



Data sheet

Density1,1 g/cc ± 0,05 Colour/spine, walnut, oak and sapele. Aspectthixotropic paste.

Performance

According use.

Storage

2 years in their original packages, tightly closed, protected from the weather and stored in cool and dry place.

Security



Indications of danger:

- H225: Highly flammable liquid and vapour.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.
- H336: May cause drowsiness or dizziness.
- H361: Suspected of damaging fertility or the unborn child .
- H373: May cause damage to organs through prolonged or repeated exposure .



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
 15143 Arteixo, A Coruña
 Telf.: 981 602 111
 Fax.: 981 601 508
 Email.: desarrollo@teais.es



Prudence advice:

P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: In case of fire: Use ? for extinction.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation



- Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
- 15143 Arteixo, A Coruña
- Telf.: 981 602 111
 Fax.: 981 601 508
 - Email.: desarrollo@teais.es

