



TEAIS JUN, JOINT SEALANT AND RENOVATOR



Description

TEAIS JUN is a sealant and new-maker joints between ceramics, ceramic tiles, marbles, etc. TEAIS JUN is a decorative product, with long life and easy to use, It is applied on joints as a marker. Available in a big range of colours.

Application

Teais Jun is used for all kind of joints in both ceramics and tiles, marbles, etc. Teais Jun is used in the renovation of bathrooms, kitchens, toilets, etc.

Surface preparation

The application surface must be clean, free from greases, soaps, substances that could impair adhesion, firm and consistent.

Modes of application

- Shake well before applying the product.
- Place the applicating device over the joint in the same manner as a marker, by inclining it and squeezing whilst the product is poured into the joint.



- If necessary, a spatula can be used so as to set the product inside the joint.
- Once dry, use a scouring pad so as to eliminate any wastes, until obtaining the appropriate finish.

Clean up

The elements used during the application must be cleaned with water.

Data sheet

AspectProduct having a paste-like consistency.

Density1,7 kg/lt aprox

Colour/sAvailable in various colours according to colour chart.

Performance

8 to 10 sqm per package (15x15 tile)

Storage

2 years in their original packagings and properly closed, protected from weather and not subjecting them to temperatures below 5 ° C.

Security

Indications of danger:

H412: Harmful to aquatic life with long lasting effects.

Prudence advice:



P273: Avoid release to the environment.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH208: Contains . May produce an allergic reaction.



 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
 Telf.: 981 602 111
 Fax.: 981 601 508
 Email.: desarrollo@teais.es

síguenos en:

